

CR 920.81

5 MAY 1967

LMSC-A874730
CODE Y-87-67-1

THE LITERATURE OF LOW-G PROPELLANT

BEHAVIOR

N68-22346

GPO PRICE \$ _____

CFSTI PRICE(S) \$ _____

Hard copy (HC) 3.00

Microfiche (MF) 65

ff 653 July 65

FACILITY FORM 602

(ACCESSION NUMBER)

(THRU)

45
(PAGES)

1
(CODE)

CR-92081
(NASA CR OR TMX OR AD NUMBER)

12
(CATEGORY)

PREPARED UNDER CONTRACT NO. NAS 9-5174

LIBRARY COPY

MAY 1 1967

LOCKHEED MISSILES & SPACE COMPANY
HOUSTON, TEXAS

For The
NATIONAL
AERONAUTICS
AND SPACE
ADMINISTRATION
MANNED SPACEFLIGHT CENTER
HOUSTON, TEXAS

LOCKHEED MISSILES & SPACE COMPANY

A GROUP DIVISION OF LOCKHEED AIRCRAFT CORPORATION

SUNNYVALE, CALIFORNIA

5 MAY 1967

LMSC-A874730
CODE Y-87-67-1

THE LITERATURE OF LOW-G PROPELLANT BEHAVIOR

PREPARED UNDER CONTRACT NO. NAS 9-5174

For The
NATIONAL
AERONAUTICS
AND SPACE
ADMINISTRATION
MANNED SPACEFLIGHT CENTER
HOUSTON, TEXAS

LOCKHEED MISSILES & SPACE COMPANY

A GROUP DIVISION OF LOCKHEED AIRCRAFT CORPORATION

SUNNYVALE, CALIFORNIA

PRECEDING PAGE BLANK NOT FILMED.

PREFACE

This report is submitted as partial fulfilment of the National Aeronautics and Space Administration Contract NAS 9-5174, "Liquid Propellant Behavior Under Conditions of Varying Acceleration." Every reasonable effort has been made to obtain a complete listing of the open literature regarding low-g liquid behavior at this date.

The work of collecting and collating literature material was accomplished by G. A. Hastings and D. W. Hill. Review of all the items and the preparation of the commentary was accomplished for the most part by J. G. Seebold and, to a lesser extent, by H. M. Satterlee.

PRECEDING PAGE BLANK NOT FILMED.

CONTENTS

<u>Section</u>	<u>Page</u>
General	1
Propellant Location and Interface Shape	2
Interface Stability	6
Reorientation	8
Sloshing	10
Propellant Containment and Ullage Control	13
Draining	15
Heat Transfer	16
Chronological Distribution of Bibliographic Citations	21
1959	22
1960	22
1961	23
1962	25
1963	27
1964	32
1965	35
1966	40
1967	42

THE LITERATURE OF LOW-G PROPELLANT BEHAVIOR

General

This report is a compilation and discussion of publications in the fields of low-g fluid mechanics and heat transfer which appeared beginning in 1959. The year 1959 was chosen as a starting point because it marks the approximate beginning of development of what might be called the "modern" theory of capillary fluid mechanics. Capillary action was, of course, a subject of classical investigation. The advent of space flight has brought with it a resurgence of interest in capillary fluid mechanics. In unpowered orbital flight, spacecraft acceleration and local gravitational acceleration are virtually in balance, and no overpowering body force is felt by contained liquid. The liquid is in an approximately "weightless" condition, and forces which are usually negligible, such as contact and surface forces, become dominating influences, just as they are in the classic capillary tube.

As a result of this similarity, there is a substantial body of classical literature which is directly applicable to present needs and fundamental to the development of the modern theory. Considerable detail regarding the results and history of development of the Theory of Capillarity, together with specific references to the literature, can be found in James Clerk Maxwell's classical article in the ninth edition of the Encyclopedia Britannica, as revised by the Third Baron Rayleigh in the tenth edition.

One comprehensive and useful summary of the modern theory of capillary fluid mechanics is "Capillary Hydrostatics and Hydrodynamics at Low-g" by W. C. Reynolds, M. A. Saad, and H. M. Satterlee, hereafter referred to as "Reynolds (1964)". This is an extension of an earlier publication by W. C. Reynolds which appeared in 1961; a further extension, by W. C. Reynolds and H. M. Satterlee, has been published as

Chapter 11 of NASA SP 106, The Dynamic Behavior of Liquids in Moving Containers, H. N. Abramson, ed. (1966). Other relatively comprehensive publications, many in the nature of reviews, have appeared; among them are the publications of Benedikt (1961), Berenson (1963), Clodfelter (1963), Koestel (1959), Neimer (1959), Otto (1964), Sherley (1962), Steinle (1963), Unterburg (1962), and Wood (1963). An attempt has been made in preparing the present report to select and comment on publications which seem to be of most practical importance to spacecraft designers, or which have been fundamental in the development of modern capillary fluid mechanics.

Boiling heat transfer has been the subject of vigorous experimental and some analytical investigation for a considerable period of time. Although most work has been carried out at high heating rates which are not typical of the orbital environment for tanked propellants, some pre-1959 work is still of interest. Most of the early work which has found application in low-g heat transfer, including particularly that in bubble dynamics, is summarized and referenced in standard works, such as M. Jakob's "Heat Transfer".

The following commentary is subdivided into 7 sections dealing with Propellant Location and Interface Shape, Interface Stability, Reorientation, Sloshing, Propellant Containment and Ullage Control, Draining, and Heat Transfer. The bibliography covers, in addition to the foregoing topics, such topics as life support, propellant gaging, phase separation, distribution of non-condensables, gyros, accelerometers, and experimental techniques. Experimental techniques are discussed in almost all of the experimental investigations mentioned in the commentary; additionally, some publications such as Kirk (1960), Cummings (1963), Kirk (1963), Lepper (1963), Vander Velde (1963), and Paynter (1965) deal almost exclusively with this subject. The bibliographic citations are grouped by calendar year, and listed alphabetically (by the last name of the senior author) in each year.

Propellant Location and Interface Shape

The problems of the equilibrium configuration of liquid in a partially filled container in a low-gravity environment were among the first to be attacked, because

of practical necessity and also because some classical results and methods were found to be applicable. These are the problems of capillary hydrostatics, the most likely location of a contained mass of liquid, and the shape of the liquid-gas interface, under equilibrium conditions.

The principle of minimum surface energy was used by Li (1960) to investigate the stable configuration of liquid in a zero-g field. It was concluded that if the liquid wets the tank wall, it will cling to it, leaving a vapor bubble in the tank. A further result was that bubbles on the tank wall will pulsate until they become large enough to touch each other, then they will coalesce to form a large bubble which will eventually join the central bubble by contact. Again, by formulating the isoperimetric variational problem associated with minimum total potential energy of a tank partially filled with liquid, Li (1962) found that the free endpoint transversality condition yields an expression for contact angle which is independent of gravitational acceleration; this relation is the familiar Dupre-Young equation. A method for series solution of the differential equation for the equilibrium shape of an axisymmetric liquid-gas interface is also given by Li (1962), and the first few coefficients are worked out.

An introduction to the theory and macroscopic description of capillary hydrostatics is presented by Berenson (1963). The minimum energy principle is also discussed by Neu (1963) and Clodfelter (1963).

The zero-g equilibrium configuration of liquid contained in cylindrical and spherical tanks is discussed by Clodfelter (1963) along with experimental observations, including transient overshoot of the zero-g surface shape. Petrash and Nelson(1963) also made an experimental investigation of the transient change in the capillary surface that results when a liquid contained in a cylindrical tank experiences sudden weightlessness.

The shape of the capillary surface in a right circular cylinder is discussed by Satterlee and Chin (1965). A derivation of the governing differential equation and the

results of numerical integration are presented. Good agreement with experiment is shown, and the experimental techniques are discussed. An ellipsoid of revolution approximation to the capillary shape is also developed.

Geiger (1966) presented calculated meniscus shapes in cylindrical tanks in the Bond number range 10 to 1000.

In another approach to the solution of the same problem, Yeh and Hutton (1965) make use of the series solution attributed to Li (1962). Some additional coefficients are developed to improve convergence, but application is still limited to nearly flat interfaces. The classic method and results of Bashforth and Adams are discussed, and numerical examples of the use of the classic tables are given.

The capillary surface in an annular tank in an axial body force field is described in Seebold, Hollister, and Satterlee (1966).

The investigation and calculation of static interface shapes for a broad range of Bond numbers are discussed by Moiseev, et al (1964); emphasis is on methods rather than results.

The shape of the equilibrium free surface in a cylindrical tank rotating at constant angular velocity about its axis in an axial body force field is discussed by Seebold and Reynolds (1965). Shape parameters of the several possible equilibrium interface configurations, obtained by numerical integration of the governing differential equation, and the supporting experimental results are presented. In an earlier study, the equilibrium shape of a bubble located on the axis of an inviscid body of liquid in solid body rotation in zero-g is described by DiMaggio (1963) in terms of elliptic integrals, and some selected zero-g bubble contours are plotted.

Blackshear and Eide (1964) derive the differential equation for the shape of a free liquid surface in a tank of square cross section in the presence of gravitational,

centrifugal, and capillary forces. A closed solution is obtained by neglecting the capillary forces. The results of numerical solution of the complete problem, restricted to a two-dimensional infinite channel, are presented.

The results of an experimental study of the zero-g equilibrium interface in which cryogenic liquids were employed are reported by Siegert and Petrash (1965). It was found, not surprisingly, that cryogenic liquids behave no differently than standard and more easily handled test liquids. In an earlier experimental investigation reported by Petrash et al (1962), it was found that the equilibrium configuration of alcohol in a spherical glass tank in zero-g is a totally wetted tank wall with a vapor bubble in the interior of the liquid. In a related study, Petrash and Otto (1962) verified that knowledge of contact angle and tank geometry permits prediction of the zero-g configuration of liquid in the tank. Petrash, Nussle, and Otto (1963) report experimental verification of the fact that the shape of the equilibrium liquid-gas interface is completely determined by contact angle and Bond number. Some interesting pictures of low-g interfaces in spherical, cylindrical, and conical containers are included. In a similar study employing spherical, conical, and cylindrical containers, the same authors (1963) found that the contact angle remains unchanged in zero-g compared to its one-g value.

The results of a low-g aircraft test program in which the configurations of water, engine oil, hydraulic fluid, JP-4 fuel, and mercury were investigated is reported by Clodfelter and Lewis (1961).

The parameters which affect propellant location in coasting orbital flight are reviewed by Satterlee (1962), and it is demonstrated that propellant location can be predicted. For another discussion of propellant location problems, together with the results of experimental and analytical investigations, see Sherley (1962).

Early contributions of importance were made by Benedikt (1959) and Reynolds (1959). The former presented an estimate of the relative importance of capillary and

gravitational forces acting on a liquid in low-g, while the latter demonstrated the importance of capillary forces in a free-fall photographic study.

Additional information relative to capillary hydrostatics can be found in Andes (1962), Barcatta (1963), Benedikt (1961), Brazinsky (1962), Callahan (1962), Chin (1964), Cline (1964), Driscoll (1960), Jahsman (1961), Koestel (1959), Neimer (1959), Otto (1965), Otto (1964), Povitskii (1963), Reynolds (1964), Roennau (1961), Shuleykin (1963), Stehling (1961), Steinle (1963), Swalley (1965), Unterburg (1962), Wolczek (1959), and Wood (1963).

Interface Stability

Liquid contained at the top of an inverted tank in a low-gravity environment may under certain circumstances be stable in that location. Under very special circumstances the liquid may derive support from surface and contact forces, but usually the liquid is supported by the pressure of the gas beneath the liquid-gas interface, while the interface itself is stabilized by surface tension. The stability of an inverted meniscus to small disturbances is a dynamic problem that can, under certain circumstances, be investigated by simpler methods treating the static problem.

By analyzing the liquid-gas interface in an inverted rectangular channel, Concus (1963) showed that the static variational method and the dynamic small vibration method yield identical stability limits for an inviscid liquid. In an extension of these results, Concus (1964) showed that while solutions to the free surface differential equation exist which represent inflected surfaces, such surfaces are unstable.

The work of Bretherton (1961) has important implications regarding the stability of an axisymmetric liquid-gas interface which exhibits zero contact angle. It is shown that under the action of gravity a bubble will not rise in a tube unless the Bond number exceeds 0.842; this must also be the critical Bond number for an inverted axisymmetric meniscus of zero contact angle. The inviscid motion of the

bubble in effectively gravity-free and gravity-dominated environments is also discussed.

The comprehensive results of Reynolds, et al (1964), make possible the investigation of the stability of almost any axisymmetric meniscus contained in a tank of arbitrary wall curvature. Bowman (1966) discusses some of the implications of very small lateral accelerations on the stability limit of axisymmetric menisci. The capillary stability of an axisymmetric liquid-gas interface in an annular tank is determined in Seebold, Hollister, and Satterlee (1966).

Seebold and Reynolds (1965) discuss the stability of the capillary surface in a cylindrical tank rotating at constant angular velocity about its axis. Rotation is found to be destabilizing in the case of wetting liquids in an adverse acceleration environment, and to introduce an instability which can occur at zero- or even positive-g. A parametric stability map governing the existence of stable menisci, and supporting experimental results, are presented.

In an experimental investigation, Jetter (1963) found that square or rectangular passages are not effective in stabilizing liquids which exhibit vanishingly small contact angle because of corner effects.

The effect of boundary elasticity on interfacial stability has been investigated analytically by Smith (1965) and Tong and Fung (1965). The former considered a flat surface contained in a two-dimensional channel having flexible walls or floor, while the latter studied a cylindrical domain with a flexible bottom. In practical situations at low-g, sloshing frequencies and elastic frequencies are vastly mismatched, so that no important interaction should be observed.

It is shown in Koval and Bhuta (1966) that the addition of an electrical body force changes the natural sloshing frequency of a capillary surface, thereby altering the capillary stability characteristics. This would be true of any superimposed body force.

The stability of the accelerated interface between a liquid and air was investigated experimentally by Emmons, Chang, and Watson (1960). In this study, a third-order theory was also developed for the unstable growth of disturbances on the free surface. Bellman and Pennington (1961) extended the analysis of Taylor instability to include surface tension and viscosity. Surface tension has a stabilizing influence, and viscosity reduces the rate of growth of disturbances.

Additional information relative to capillary stability can be found in Anliker (1963), Beam (1961), Bell (1963), Berenson (1963), Cline (1964), Li (1963), Masica (1964), Masica (1965), Otto (1964), Otto (1965), Sherley (1963), Sternling (1959), Swalley (1965), and Wood (1963).

Reorientation

The stability theory referred to above says nothing about what happens after the critical Bond number is exceeded, except that the inverted meniscus becomes unstable. One naturally expects that a liquid will somehow flow to the other end of its container. It is this flow, and the reverse flows that develop when the liquid impinges on the other end of the tank, that are the subjects of reorientation studies.

The reorientation flow of liquid in a cylindrical tank was studied experimentally by Hollister and Satterlee (1965). Reorientation acceleration was imposed during free fall after establishment of the typically highly-curved low-g liquid-gas interface. Reorientation Bond numbers of about 10 and 200 were employed. Similar studies with zero-g initial shapes are reported by Masica and Petrash (1965), and Masica and Salzman (1965). In the latter it is demonstrated that baffles can be helpful in alleviating the recirculation ("geysering") problem associated with reorientation flow, thus promoting better liquid collection. This work was extended by Salzman and Masica (1966) to develop a criterion for the existence of the central geyser when no baffles are used.

Bowman (1965) presents an experimental study of reorientation flow in which the typical low-g interface is not allowed to develop; instead, the surface is initially quite flat. As a results, some interesting flow patterns, not expected to be observed in most practical settling situations, were observed. The results of a linearized analysis presented in Bowman (1966) successfully reproduced many of these features. In an experimental investigation of reorientation under non-axial acceleration, Bowman (1966) found that when a settling Bond number of 72 is applied to a cylindrical tank inclined at 1° , the asymmetric flow characteristic is not very repeatable, whereas when the cylinder is inclined at 10° , a definite tenency of the liquid to flow up one side of the container is always observed. This is not surprising, since the transverse component of the settling acceleration results in transverse Bond numbers of 1.26 for 1° inclination and 12.7 for 10° inclination. The critical transverse Bond number is about 1 for liquid-solid combinations which exhibit contact angles near zero degrees (as used in the experiments); therefore uncertain transverse unstability behavior would be expected at 1° inclination, while an inclination of 10° should produce definite transverse instability. The experiments and anlysis in these references have been brought together in a NASA publication (CR 651).

Another discussion of propellant settling, with particular emphasis on orbital transfer of propellants, is presented by Gluck and Gille (1965). A description of the flow, together with an estimate of the settling time, is based on scaled experiments conducted at one-g.

The structural significance of the impingement of reorientation flow on the end of a propellant tank was the subject of an experimental investigation reported by Stephens (1965). While a preliminary analysis is alleged to have indicated that damaging stress levels could result, no structurally significant impact loads were observed.

Problems of liquid reorientation and associated phenomena as found in the Centaur vehicle, together with experimental and analytical results, are discussed by Sherley (1962). Additional information can be found in Otto (1964), Otto (1965), Reynolds (1964), Steinle (1963), Swalley (1965), and Wood (1963).

Sloshing

The sloshing characteristics of propellants contained in rocket tanks are of considerable practical importance because of the possibilities of unstable interaction with attitude control system responses, immersing of vent lines, development of excessive forces and moments due to liquid motion, and so forth. For the purpose of this report, this subdivision includes linear and non-linear sloshing, transient response to abrupt entry into zero g, and the effect of anti-slosh baffles.

The analytical and experimental study of Satterlee and Reynolds (1964) treats linearized sloshing about an axisymmetric equilibrium meniscus in a cylindrical container. Complete analytical and experimental results are presented for linearized low-g sloshing in the fundamental mode. Analysis of lateral sloshing carried out by a different method and a careful experimental study in the Bond number range 10-200 are presented by Dodge and Garza(1966). Equivalent spring-mass mechanical analog parameters are also presented.

Two approaches to the analysis of symmetric liquid sloshing in an infinite channel of rectangular section are presented by Hung, et al (1964). In the first, the velocity potential, free surface shape, pressure, and vibration frequency are expanded in the ratio of the maximum amplitude of free surface vibration to tank radius. A first-order velocity potential is obtained (the zero-order potential is zero). In the second approach to the same problem, a harmonic function expansion and Fourier time-series analysis are employed. Numerical computation was carried out in a single case and the results are presented.

A linearized analysis of axisymmetric sloshing during draining under low-g conditions is presented by Saad and Oliver (1964). The results indicate a slight reduction in the critical Bond number for draining an inverted tank.

Series solution of the linearized sloshing problem is carried out by Koval and Bhuta (1965). The velocity potential is obtained as an infinite series of eigenfunctions. An approximate explicit expression can be obtained by truncating the series, and this approximation could be used to estimate pressures exerted by the sloshing liquid on the containing tank. In another paper, Bhuta and Koval (1965) discuss the problem of linearized sloshing of an ideal fluid in a draining or filling tank in low-g. The possibility of vapor blowthrough during draining is indicated, as is the need for baffles to damp the free surface motion during filling. The latter results are questionable because flow during filling is not irrotational as can be reasonably assumed for flow during draining.

The linearized approach to the study of zero-g motion of liquids was investigated by Randolph (1963). The author contends that such an approach yields no useful information on the dynamics of liquids which suddenly experience weightlessness, and that the idea of incipient dynamics should be abandoned. In spite of this, successful linearized analysis has been reported.

The transient response to sudden weightlessness of the free surface of a liquid in two-dimensional and cylindrical containers is subjected to a linearized treatment by Fung (1965). The predicted vertex motion compares favorably with experiment. Particularly significant is the fact that the initial vertex motion opposite to later time motion which is observed experimentally for a short time after entry into sudden weightlessness is reproduced by the analysis. A similar approach is used by Bowman (1966) to investigate the response of an initially flat interface to sudden axial acceleration. The results of an experimental study of the transient response of a liquid-gas interface to sudden weightlessness in spherical, cylindrical, and annular tanks are presented by Siegert, et al (1964).

The problem of nonlinear oscillations of an inviscid, incompressible liquid having a free surface is formulated by applying Hamilton's principle at constant volume by Petrov (1964). It is demonstrated that this integral representation is equivalent

to the classic boundary value problem statement. Several specific classes of extremizing functions are briefly mentioned. No applications or numerical results are presented.

A numerical scheme for computing the non-linear axially symmetric oscillations of a capillary surface in a cylindrical container is discussed by Concus, et al (1965). The numerical results presented show that the method has considerable promise and should be applicable to reorientation flow, as well.

Moiseev, et al (1964), discuss methods of solving capillary hydrodynamic problems. Of particular interest is the discussion of methods for investigating the effect of viscosity. Randolph (1965) considers the problem of nonlinear axisymmetric motion of a viscous liquid in a cylindrical container. The difficulty of applying an appropriate macroscopic viscous boundary condition where the free surface contacts the solid wall is pointed out. While an approach to numerical solution is suggested, no computational or numerical results are reported.

In a study of elastic interaction of tank structure with sloshing liquid, Tong and Fung (1965) find that increased flexibility leads to reduced natural frequency. In the flat interface, square tank, analysis of Koval and Bhuta(1966), it is shown that superimposing an electrical body force alters the natural frequency of oscillation of the capillary surface. This result would be expected for any body force.

The time required to orient liquids in between parallel plate electrodes by dielectrophoresis is estimated by Koval and Bhuta (1966).

In an experimental study of high-g sloshing motions, Cooper (1959) obtained good agreement with first mode small amplitude slosh theory. The spill-over of liquid that occurs when a large amplitude slosh wave reached the hemispherical tank top results in considerable energy dissipation and a sharp increase in damping. Of experimental interest is the fact that while wave amplitudes were found difficult to measure or define at times, the lateral force produced by slosh wave motion was readily obtained.

Miles and Troesch (1960) studied the gravity-free oscillations of the cylindrical free surface of an inviscid liquid in axial solid-body rotation contained in a cylindrical tank. This is not a problem in which surface forces are important because the centrifugal body force dominates. Comprehensive results for the natural modes of centrifugal oscillation were presented.

Further information on sloshing and related topics can be found in Brazinsky (1962), Chernous'ko (1964, 1965), Chu (1964), Cline (1964), Hwang (1965), Koestel (1959), Moore (1965), Neimer (1959), Otto (1964, 1965), Paynter (1964), Reynolds (1964), Scriven (1960), Shuleikin (1962), Shuleikin (1962), Siegel (1961), Smith (1965), Swalley (1965), and Unterburg (1962).

Propellant Containment and Ullage Control

In this section methods for preferential positioning of contained liquids in a low-gravity environment are reviewed. Examples are the requirement to position propellant at the tank drain for engine restart, or to keep vents clear of liquid. Included are passive methods, such as surface tension devices; active methods, such as dielectrophoretic devices; and methods of venting. Positive expulsion devices, being independent of body forces due to acceleration fields or the lack of them, are disregarded.

In an investigation carried out in a drop-tower, Petrash and Otto (1962) found internal tank baffling to be an effective means of positioning liquid for venting and restart in low-g. The effect of screens on the configuration of liquid in low was investigated by Clodfelter and Lewis (1961), and no important alteration in configuration was observed.

Conical baffles were found by Neu and Good (1963) to be useful for orienting liquids in zero-g. The use of a standpipe for locating liquid is discussed by Porter and Clayton (1965) in an interesting introduction to zero-g research at the Royal Aircraft Establishment, Farnborough, England.

The results of analytical studies and one-g tests of the use of surface and dielectrophoretic forces in liquid containment are presented in a report by Bell Aerospace (1963). Experimental data and general design information for proposed propellant containers are included.

Some simple experiments with capillary retention devices in axial and transverse body force fields are described by Jetter (1963). Corners in square or rectangular passages were found to promote instability.

The results of an analytical and experimental study of propellant containment and venting in zero or small adverse gravity environments are reported by Boraas, et al (1965). Systems of coaxial cones are investigated for containment. Critical stability conditions are determined by equating buoyancy and surface tension forces. While the relations developed in this unusual way do not seem to check with standard results in the limiting cases, the experiments reported seem to be in agreement with the analysis. Screens and a central standpipe are utilized in a combined containment venting device.

The principle of dielectrophoresis is discussed by Blackmon and Crocker (1963), together with a description of some experiments and a discussion of the application of dielectrophoretic body forces in positioning liquids in zero-gravity. In similar papers, Blackmon (1962, 1963), describes the collection of liquids using electrical forces. Calculated collection forces and times compare favorably with experiment.

An investigation of dielectrophoretic separation and orientation of liquid hydrogen in low-g is reported by Hurwitz, et al (1964). Good agreement was obtained between theory, laboratory analog tests, and zero-g aircraft tests. The theoretical treatment of dielectrophoresis has been greatly improved recently. These improvements have been used most recently by Melcher and Hurwitz (1966) and Reynolds and Hurwitz (1966).

A variety of venting (in this case, residual propellant dumping) methods and their relative usefulness are discussed by Satterlee (1962). Similar problems, and experimental and analytical results, are discussed by Sherley (1962). Plans for a full-scale orbital fluid mechanics experiment aboard an S-IVB stage are discussed by Cline (1964), and Swalley (1965).

Additional information on propellant containment and ullage control can be found in Abdalla (1964), Allingham (1964), Bell (1962), Blackmon (1965), Heald (1965), Hunter (1962), Krivetsky (1962), Otto (1964), Otto (1965), Paynter (1964), Porter (1965), Reynolds (1964), Rod (1962), Steinle (1963), Unterburg (1962), and Wood (1963).

Draining

Extracting liquid from a tank in a low-gravity environment can present serious problems. As the depth of liquid in a draining tank is reduced, eventually a dip will appear in the surface above the drain. In low-g, this is a severe problem because the dip is much more pronounced. When the dip is sucked into the drain, a direct gas path is opened to the pump suction. The propellant volume remaining in the tank when this occurs is unusable. This effect is independent of and additional to vorticity effects. Additionally, draining dynamics can adversely interact with sloshing motions.

A linearized analysis of sloshing during tank draining under low-g conditions is presented by Saad and Oliver (1964). Bhuta and Koval (1965) present a similar treatment. The formulation is generalized to account for variable axial acceleration, but the solutions presented are for constant acceleration. The possibility of vapor blow-through during zero-g draining is indicated. This work was considerably extended (Koval and Bhuta, 1966) and numerical results are presented indicating the trapped residual quantities in flat bottomed cylindrical tanks.

A photographic study of zero-g draining of liquid from a cylindrical tank is presented by Nussle, et al (1965). Diffusing the incoming pressurizing gas and baffling the tank outlet were found to be helpful in alleviating the effects of suction dip, thus delaying vapor blowthrough. This work was extended by Derdul, Grubb and Petrash (1966) to include tanks with convex and concave hemispherical bottoms. Information is presented to predict when vapor pullthrough will occur.

An experimental study of tank draining under one-g is reported by Gluck, et al (1965). The point at which gas ingestion occurred was found to depend only on Froude number for Bond numbers of order 100 and larger; for Bond numbers of order 10, the critical condition was found to depend on Bond number as well.

Recent analysis and experiments on trapped residual quantities have been carried out by Lubin and Hurwitz (1966). This work also considers the application of dielectrophoresis to minimizing trapped residuals. Additional information on tank draining under low-g conditions can be found in O'Loughlin (1965), Otto (1964), Otto (1965), Povitskii (1963), Reynolds (1964), Sherley (1962), Steinle (1962), Swalley (1965), and Unterburg (1962).

Heat Transfer

Heat transfer in a low-gravity environment can be expected to be somewhat different than at one-g because the equilibrium configuration of contained liquids is different, and because the natural convective transport of energy and mass, generally dominant at one-g, is much less vigorous.

In an analytical investigation of low-gravity transport processes, Gebhart (1963) finds that random disturbances normally present in the motion of space vehicles can result in relatively effective convective transport.

The heat transfer problem in a partially filled propellant tank in low-g is discussed in a report prepared by Dynamic Science Corp. (1963). A lumped parameter formulation intended for solution on a digital computer was obtained. The heat transfer mechanisms considered were internal radiation, phase change due to evaporation and condensation, conduction, free convection, and convection in liquid layers due to differential surface tension.

The thermally-induced motion of liquid in a full two-dimensional container heated on one side and insulated on the other three is considered in the report of Hung, et al (1964). The problem is solved for a triangular heating function and the temperature, pressure, and velocity distributions are plotted. The forces produced on individual bubbles located in a liquid of nonuniform temperature have been predicted and experimentally verified by McGrew and Larkin (1966).

A survey of available literature on the influence of gravity on nucleate boiling is most recently presented by Adelberg (1963), together with rationalization of the observations in terms of the pertinent force ratios. It is pointed out that since the mechanics of bubbles are strongly influenced by gravitational forces, nucleate boiling can be strongly influenced by such forces. Note is taken of the difficulty in sorting out steady-state and transient phenomena in relatively short-lived drop tower experiments. Force ratio arguments are used by Adelberg and Forster (1961) to estimate one-g test parameter values which may yield useful information on zero-g boiling heat transfer. Similar results are presented in Adelberg and Schwartz (1966).

The problem of forced-convection heat transfer to a liquid contained in a rotating tank during spin-up from rest in a low-gravity environment is discussed by Fendell (1966).

Low-g heat transfer to liquid propane contained in a spherical steel tank is discussed by Rex and Knight (1964). The experiment was conducted in a sounding rocket. While the heat flux was about three times as great as the solar flux, it was still

representative of orbital heating rates. Most low-g heat transfer experiments reported to date have been conducted at high heating rates which are not typical of orbital conditions. Nucleate boiling evidently persisted throughout the experiment. A reduced heat transfer coefficient of about $1/3$ the one-g value was measured.

The results of an experimental investigation of boiling heat transfer to liquid nitrogen in a near zero-g environment are reported by Clark and Merte (1963). The heat flux range was high, 10^3 to 2.5×10^4 Btu/hr-ft². A similar experimental study by Merte and Clark (1963) indicates that gravity reduction has little effect on boiling heat transfer at high heat transfer rates.

In an experimental investigation of the effect of reduced gravity on pool-boiling, Usiskin and Siegel (1961) found that the critical heat flux varies approximately with the one-fourth power of gravity. It was also found that the velocity of freely rising bubbles decreases with reduced gravity, and that bubble diameters at separation from the heated surface vary inversely with gravity to the $1/3.5$ power. In similar experiments conducted at high-g, Costello and Tuthill (1961) also obtained a one-fourth power variation of burnout heat flux with gravity.

In an order of magnitude analysis based on experimental data, Keshock and Siegel (1964) found that when bubble growth rate is large, nucleate boiling is essentially gravity independent, and bubble departure from the heated surface is governed by inertial and surface forces. For slowly growing bubbles, the authors found that departure is governed by buoyant and surface forces. Viscous forces appeared to be unimportant. A further investigation centered on the importance of pressure and dynamic forces on bubbles has been reported by Cochran and Aydelott (1967).

Siegel and Howell (1965) report an experimental determination of the peak nucleate boiling heat flux in water, ethyl alcohol, and an aqueous sucrose solution in low-g. Vertical orientation of the heated wire resulted in a lower peak heat flux than did horizontal orientation. The peak or burnout flux was found to be roughly proportional to the one-fourth-power of g .

Qualitative information regarding nucleate pool boiling of water in low-g is presented in a report of a photographic investigation carried out by Hedgepeth and Zara (1963).

Qualitative descriptions of boiling and condensing phenomena based on visual observation of low and zero-g aircraft tests are given by Hedgepeth (1960). Both mercury and distilled water were used in a boiler-condenser test loop. In a report of a similar study in which mercury was the test liquid, Reitz (1960) reports no difference in the mode of condensation in zero-g as compared with one-g conditions.

Correlations for two-phase flow in horizontal capillary tubes are presented in a report by Suo and Griffith (1963). The correlations should be applicable to low-g flow. Similar flow visualization tests, conducted both at one-g and zero-g, are reported by Evans (1963).

The results of an experimental investigation of boiling heat transfer to subcooled distilled water flowing through a resistance-heated tube in a low-gravity environment are reported by Papell (1962). The onset of slug flow and a substantial increase in local heat transfer coefficients under low-g conditions were observed.

A scheme for simulating zero-g flow by means of vertical or parabolic ducts is described by Congelliere, et al (1963). Suggestions are made as to how two-phase isothermal flow, boiling, and condensing might be investigated. It is reported that such a system has yet to be built and tested.

Such heat transfer problems as nucleate boiling, impingement of liquid on a warm unwetted surface, and heat transfer between fuel and oxidizer tanks are discussed by Sherley (1962). A discussion of passive orbital temperature control of propellants is given by Satterlee (1962).

Information on low-g heat transfer and related topics can also be found in Abdalla (1964), Abdalla(1965), Adelberg (1965), Albers (1965), Aydelott (1964), Bell (1964), Benton (1964), Brady (1963), Clark (1964), Cline (1964), Clodfelter (1964), Ginwala (1961), Heath (1964), Henschley (1962), Kirk (1960), Kirk (1963), Lancet (1965), Manson (1964), McGrew (1964), Merte (1961), Polk (1962), Regetz (1964), Schwartz (1965), Siegel (1959), Steinle (1960), and Trusela (1960).

CHRONOLOGICAL DISTRIBUTION
OF
BIBLIOGRAPHIC CITATIONS

1959 - 8

1960 - 12

1961 - 22

1962 - 21

1963 - 42

1964 - 39

1965 - 48

1966 - 8

200

1959

Benedikt, E. T., "Scale of Separation Phenomena in Liquids Under Conditions of Nearly Free Fall," ARS J., Feb. 1959

Cooper, R. M., and J. P. O'Neill, "Damping Ratios for Sloshing Liquids in a Cylindrical Tank Having a Hemispherically Domed Bottom and Roof," EM-9-27, STL/TR-59-0000-09780, Contract AF 04(647)-309, Space Technology Labs., Inc., P. O. Box 95001, Los Angeles 45, Calif., Oct 26, 1959

Koestel, A., "Hydrodynamic Problem Areas in Zero Gravity," Meteorite Penetration Conference, Washington, 1959

Neimer, J., "Effect of Zero Gravity on Fluid Behavior and System Design," WADC TN-59-149, ASTIA No. AD 228810, 1959

Reynolds, W. C., "Behavior of Liquids in Free Fall," J. Aerospace Sci., Vol. 26, No. 12, December 1959

Siegel, R., and C. Usiskin, "A Photographic Study of Boiling in the Absence of Gravity," ASME Av. Conf., Los Angeles, Mar. 9-12, Paper No. 59-Av-37, ASME Trans., Ser. C - HT, Aug. 1959

Sternling, C. V., and L. E. Scriven, "Interfacial Turbulence: Hydrodynamic Instability and the Marangoni Effect," J. A.I.Ch.E., US No. 40, 1959

Wolczek, O., "On the Technical Realization of Subgravity and Weightlessness," 10th International Astronautical Congress Proceedings, Vol. 1, Springer, London, 1959

1960

Bitten, John, "Liquid Oxygen Converter," USAF, WADD TR 60-669, Oct 1960

Brown, E. L., "Human and System Performance During Zero G," Preprint 2301, SAE-AFOSR, Astronautic Symposium, Los Angeles, Calif., Oct. 12-14, 1960

Driscoll, D. G., "Cryogenic Tankage for Space Flight Applications," Advances in Cryogenic Engineering, vol. 5, New York, Plenum Press, 1960

Emmons, H., Chang, C., and Watson, B., "Taylor Instability of Finite Surface Waves," JFM, Vol. 7, Part 2, 1960

Hedgepeth, L. M., "Zero Gravity Boiling and Condensing," ARS, Space Power Systems Conf., Santa Monica, Calif., Preprint 1322-60., Sept 27-30, 1960

Kirk, D. A., "The Effect of Gravity on Free Convection Heat Transfer - The feasibility of Using an Electromagnetic Body force," Wright Air Development Division, WADD Tech. Rept. 60-303, Part 1, August 1960

Li, T., "Liquid Behavior in a Zero-G Field," General Dynamics/Astronautics, San Diego, Calif., Sept. 1960

Miles, J. W. and Troesch, B. A., "Surface Oscillations of a Rotating Liquid in a Gravity-free Field," EM-10-9, STL/TR-60-0000-09137, Space Technology Laboratories, Inc., P.O. Box 95001, Los Angeles 45, Calif., June 1960

Reitz, J. G., "Zero Gravity Mercury Condensing Research," Aerospace Eng., Sept. 1960

Scriven, L. E., "Dynamics of a Fluid Interface," Chem. Eng. Sci., Vol. 12, 1960

Steinle, H., "Air Experimental Study of the Transition from Nucleate to Film Boiling Under Zero Gravity Conditions," Heat Transfer and Fluid Mechanics Institute, Stanford-University Press, 1960

Trusela, R. A., "Zero-g Space Boilers," SAE Paper 154C, SAE J., Sept. 1960

1961

Adelberg, M., and K. Forster, "The Effect of Gravity Upon Nucleate Boiling Heat Transfer," in Weightlessness - Physical Phenomena and Biological Effects, Plenum Press, 1961

Beam, J. and M. Anhker, "On the Stability of Liquid Layers Spread Over Simple Curved Bodies," SUDAER Report No. 104, Dept. of Aeronautical Engineering, Stanford University, 1961

- Bell, J. E., et al, "Development of Positive Expulsion Systems for Cryogenic Fluids," Beech Aircraft Corp., Boulder, Colo., Final Report - Phase I and II, from 15 Jan 1961 to 20 Nov 1961. Contr. AF 33(616)-6930, SSD-TDR-62-14, May 1962
- Bellman, R., and R. Pennington, "Effects of Surface Tension and Viscosity on Taylor Instability," Quart. Appl. Math., Vol. 12, 1961
- Benedikt, E. T., "General Behavior of a Liquid in a Zero or Near Zero Gravity Environment," Weightlessness - Physical Phenomena and Biological Effects, Plenum Press, New York, 1961
- Bretherton, F. P., "The Motion of Long Bubbles in Tubes," J. Fluid Mech., Vol. 10, Pt. 2, 1961
- Clodfelter, R. G., and R. C. Lewis, "Fluid Studies in a Zero Gravity Environment Report on Electric Propulsion Technology, Propulsion Lab., Aeronautical Systems Div., Wright-Patterson AFB, Ohio, June 1961
- Costello, C. P., and W. B. Tuthill, "Effects of Acceleration on Nucleate Pool Boiling," Chemical Engineering Symposium Series, Vol. 57, No. 32, 1961
- Ginwala, K., "Engineering Study of Vapor Cycle Cooling Equipment for Zero-Gravity Environment," Northern Research and Engineering Corp., Cambridge, Mass., Wright Air Development Division, Aeronautical Accessories Lab., Wright-Patterson AFB, Ohio, WADD TR 60-776, January 1961
- Hankins, D. L., and P. J. Gardner, "Liquid Oxygen Converter for Weightless Environment," Aerospace Medical Lab., Wright-Patterson AFB, Ohio, Nov 1961
- Hartkopf, S. E., "Zero Gravity Tests of X-15 Nitrogen Tank," USAF, Flight Test Center, Edwards AFB, AFFTC TN 60-34, Jan 1961
- Jahsman, W. E., "The Equilibrium Shape of the Surface of a Fluid in a Cylindrical Tank," Developments in Mechanics, Vol. 1, Plenum Press, New York, 1961
- Lepper, R., "Experimental Studies of the Hydrodynamic Behavior of Liquids in a Zero Gravity Environment," Northrop Corp., Norair Division, Report No. ASG-TM-61-13-Z5, 1961

Li, T. , "Liquid Behavior in a Zero-G Field," IAS, Annual Meeting, 29th, New York, N. Y. , Paper No. 61-20, Jan 23 - 25, 1961

Merte, H. , Jr. , and J. A. Clark, "Pool Boiling in an Accelerating System," ASME J. Heat Transfer, Aug 1961

Roennau, L. , "Liquid-Gas Interface in Zero-G," Rept. No. 6101-6374-RU-000, Final Report, Space Technology Labs. , Inc. , Redondo Beach, Calif. , Dec 31, 1961

Siegel, R. , "Transient Capillary Rise in Reduced and Zero-Gravity Fields," ASME, Trans. , Ser. E, J. Appl. Mech. , Vol. 28, June 1961

"Space Zero G Fuel Studies to Aid Centaur, Rover and Saturn Propulsion Programs," Vol. 36, Feb 1961

Stehling, K. R. , "Behavior of Liquid Hydrogen in a Space Environment," Appendix - The Aerobee Vehicle. , Brit. Interplanetary Soc. J. , Vol. 18, Sept-Dec 1961

Usiskin, C. M. , and R. Siegel, "An Experimental Study of Boiling in Reduced and Zero Gravity Fields," ASME, Trans. , Ser. C. , J. Heat Transfer , Vol. 83, Aug 1961

Wiederhorn, C. , "The Space Environment and Its Interactions with Liquid Propellants and Their Storage Systems," Arthur D. Little, Inc. , Cambridge, Mass. , NASA Contr. NAS 5-664, Rept. C-63270-02-1, Sept 1961

Zipkin, M. A. , "Environmental Problems in the Design of Space Power Systems," Aerospace Eng. , Vol. 20, No. 8, 1961

1962

Andes, G. M. , and J. E. McNutt, "Capillary Phenomena in Free Fall," J. Aerospace Sci. , Vol. 29, Jan 1962

Blackmon, J. B. , "Dielectrophoretic Propellant Orientation in Zero Gravity," Transactions of the 7th Symposium on Ballistic Missile and Space Technology, U.S. Air Force Academy, Colo. , Aug 13-16, 1962

See also: "Dielectrophoretic Propellant Orientation in Zero Gravity," Douglas Aircraft Company, Santa Monica, Calif. , 1962

- Brazinsky, I. and S. Weiss, "A Photographic Study of Liquid Hydrogen Under Simulated Gravity Conditions," NASA TM X-479, Feb 1962
- Callaghan, E. E. , "Weightlessness," Machine Des. , Vol. 34, No. 24, Oct. 11, 1962
- Henchley, R. B. , "Liquid Propellant Losses During Space Flight", final report, Arthur D. Little, Inc. , Cambridge, Mass. , Oct. 1962
- Hunter, B. J. , J. E. Bell, and J. E. Penner, "Expulsion Bladders for Cryogenic Fluids," Advances in Cryogenic Engineering, Vol. 7, New York, Plenum Press, 1962
- Krivetsky, A. , et al, "Research on Zero-Gravity Expulsion Techniques," final report, Bell Aerosystems Co. , Buffalo, N. Y. , March 1962
- Li, T. , "Hydrostatics in Various Gravitational Fields", J. Chem. Phys. , Vol. 36, No. 9, May 1962
- Newman, D. , et al, "Development of Expulsion and Orientation Systems for Advanced Liquid Rocket Propulsion Systems," Phase 1 Progress Report for Period 1 June through 15 October 1962, Edwards AFB, Calif. , Rocket Research Labs. , Dec 1962
- Papell, S. S. , "An Instability Effect on Two-Phase Heat Transfer for Subcooled Water Flowing Under Conditions of Zero Gravity," American Rocket Society, Space Power Systems Conference, Santa Monica, Calif. , Sept. 25-28, 1962.
- Petrash, D. A. , and E. W. Otto, "Studies of the Liquid vapor Interface Configuration in Weightlessness," Paper 2514-62, American Rocket Society, Space Power Systems Conference, Santa Monica, Calif. , Sept 25-28, 1962
- Petrash, D. A. , R. F. Zappa, and E. W. Otto, "Experimental Study of the Effects of Weightlessness on the Configuration of Mercury and Alcohol in Spherical Tanks," NASA TN D-1197, Apr 1962
- Polk, R. L. , "Subcritical Liquid Oxygen Storage and Conversion System for Omni-gravic Operation," Engineering Rept. AE 2072-R, Life Support Systems Lab. , Wright Patterson AFB, Ohio, Dec. 1962
- Rod, R. L. , "Propellant Gaging and Control," Instruments and Control Systems , Vol. 35, Oct. 1962

Satterlee, H. M. , "Propellant Control at Zero-g," Space/Aeronaut. , Vol. 38, No. 1, July 1962

See also: Satterlee, H. M. , "Propellant Orientation, Venting, and Temperature Control Under Zero-gravity Conditions," Spacecraft Thermodynamics Symposium, LMSC Research Labs, Palo Alto, Calif. , Mar 28, 1962 .

Sherley, J. E. , "The Final Report for the General Dynamics/Astronautics Zero-G Program (May 1960-March 1962)," NASA CR-51278, General Dynamics/Astronautics, Aug. 1962

Shuleikin, V. V. , "Shape of the Surface of a Liquid in Process of Losing Its Weightlessness," NASA TTF-8373, Jan. 1963. Transl. Doklady, A. N. , USSR, Vol. 147, No. 1, Nov. 1, 1962

Shuleikin, V. V. , "More on the Behavior of a Liquid Approaching Weightlessness," NASA TT F-8374, Transl. Diklady, A. N. , USSR, Vol. 147, Dec. 11, 1962

Unterburg, W. , and J. Congelliere, "Zero Gravity Problems in Space Powerplants: A Status Survey," ARS Journ. , Vol. 32, No. 6, June 1962

1963

Adelberg, M. , "Effect of Gravity Upon Nucleate Boiling," Proceedings of American Astronautical Society, Physical and Biological Phenomena under Zero Gravity Conditions, 2nd Symposium, Los Angeles, Calif. , Jan. 18, 1963

See also: "Zero Gravity Heat Transfer," Proceedings of the Institute of Environmental Sciences 1963 Annual Technical Meeting, Institute of Environmental Sciences, Mt. Prospect, Illinois, April 1963

Anliker, M. , and W. S. Pi, "Effects of Geometry and Unidirectional Body Forces on the Stability of Liquid Layers," SUDAER No. 150, Stanford Univ. , March 1963

Barcatta, F. A. , H. L. Daley, A. H. Firestone, A. T. Forrester, "Zero G Propellant Feed Systems for Cesium Ion Rocket Engines," AIAA, Electric Propulsion Conference, Colorado Springs, Colo. , Mar. 11-13, 1963

- Bell Aerospace Corp. , "Development of Expulsion and Orientation Systems for Advanced Liquid Rocket Propulsion Systems," Rept. No. 8219 933033, July 1963
- Berenson, P. J. , "Fundamentals of Low Gravity Phenomena Relevant to Fluid System Design," Proceedings of American Astronautical Society, Physical and Biological Phenomena Under Zero Gravity Conditions, 2nd Symposium, Los Angeles, Calif. , Jan 18, 1963
- Blackmon, J. B. , and J. F. Crocker, "Propellant Orientation in Zero Gravity With Electric Fields," Physical and Biological Phenomena in a Weightless State, Advances in the Aeronautical Sciences, Vol. 14, Western Periodicals Co. , North Hollywood, Calif. , Jan 1963
- Blackmon, J. B. , "Propellant Orientation in Zero Gravity With Electric Fields," Proc. , Aerospace Forum, II Session, 31st IAS Meeting, New York, N. Y. , Jan. 21-23, 1963
- Brady, A. P. , et al, "Investigation of the Space Storability of Pressurizing Gases," Interim Report, Feb 19, 1962-Feb 18, 1963. NASA CR-51520, Aug 1963
- Clark, J. A. , H. Merte, Jr. , "Nucleate, Transition, and Film Boiling Heat Transfer at Zero Gravity," Proceedings of American Astronautical Society, Physical and Biological Phenomena Under Zero Gravity Conditions, 2nd Symposium, Los Angeles, Calif. , Jan. 18, 1963
- Clodfelter, R. G. , "Fluid Mechanics and Tankage Design For Low Gravity Environments," Technical Documentary Report, June 1961 - April 1963, Air Force Systems Command, AF Aero-Propulsion Lab. , Wright-Patterson AFB, Ohio, Sept. 1963
- Concus, P. , "Capillary Stability in an Inverted Rectangular Tank," American Astronautical Society, Physical and Biological Phenomena Under Zero Gravity Conditions, 2nd Symposium, Los Angeles, Calif. , Jan. 18, 1963
- Congelliere, J. T. , Unterberg, W. , and Zwick, E. G. , "The Zero-g Flow Loop: Steady-Flow, Zero-Gravity Simulation For Investigation of Two-Phase Phenomena," American Astronautical Society, Physical and Biological Phenomena Under Zero Gravity Conditions, 2nd Symposium, Los Angeles, Calif. , Jan. 18, 1963

Colaprete, S. J. , "Preliminary Investigation for a Zero-Gravity Water Separator," North American Aviation, Inc. , Environmental Lab. , Los Angeles, Calif. , 23 Sept. 1963

Cummings, J. W. , "Dynamic Techniques for Extending Zero G Duration," Proceedings, American Astronautical Society, Physical and Biological Phenomena Under Zero Gravity Conditions, 2nd Symposium, Los Angeles, Calif. , Jan. 18, 1963

DiMaggio, O. D. , "Equilibrium Configuration of the Liquid-Vapor Interface In a Rotating Container Under Zero G Conditions," Proceedings, American Astronautical Society, Physical and Biological Phenomena Under Zero Gravity Conditions, 2nd Symposium, Los Angeles, Calif. , Jan. 18, 1963

Draper, C. S. , M. S. Sapuppo, and L. F. Hughes, "Accelerometer Design and Testing for Zero-G Environment," Proceedings, American Astronautical Society, Physical and Biological Phenomena Under Zero Gravity Conditions, 2nd Symposium Los Angeles, Calif. , Jan. 18, 1963

Dynamic Science Corp. , "Study of Forces on Propellants Due to Heat Transfer Influencing Propellant Temperature in a Recovery-Type Vehicle," Jan 1963

Evans, D. G. , "Visual Study of Swirling and Nonswirling Two-Phase Two-Component Flow at 1 and 0 Gravity," NASA TM X-725, Aug. 1963

Evans, R. L. , and J. R. Olivier, "Proposal for Determining the Mass of Liquid Propellant Within a Space Vehicle Propellant Tank Subjected to a Zero Gravity Environment," NASA TN D-1571, March 1963

See also: "Gas Laws Help Find Propellant Mass at Zero G," Space/Aeronaut. , Vol. 39, June 1963

Gebhart, B. , "Random Convection Under Conditions of Weightlessness," AIAA Journal, Vol.1, Feb. 1963

Hedgepeth, L. , and E. A. Zara, "Zero Gravity Pool Boiling," Aeronautical Systems Division, USAF, Report No. ASD-TDR-63-706, Sept. 1963.

- Hinds, D. E. , and J. Cleveland, "Capillary Action Liquid Oxygen Converter for Weightless Environment," Pioneer Central Div. , Bendix Corp. , Davenport, Iowa, Jan. 1963
- Jetter, R. I. , "Orientation of Fluid Surfaces in Zero Gravity Through Surface Tension Effects", Proceedings, American Astronautical Society, Physical and Biological Phenomena Under Zero Gravity Conditions, 2nd Symposium, Los Angeles, Calif. , Jan. 18, 1963
- Kirk, D. A. , "Means of Creating Simulated Variable Gravity Fields for the Study of Free Convective Heat Transfer," ASD-TDR-63-250, Wright-Patterson Air Force Base, Ohio, 1963
- Lepper, R. , "NSL Optical Epihydrogoniometer," Proceedings, American Astronautical Society, Physical and Biological Phenomena Under Zero Gravity Conditions, 2nd Symposium, Los Angeles, Calif. , Jan. 18, 1963
- Lepper, R. , "Northrop Space Laboratories Zero Gravity Simulation Facilities," Institute of Environmental Sciences, 1963 Annual Technical Meeting, Proceedings, Mt. Prospect, Ill. , Institute of Environmental Sciences, 1963
- Merte, H. , Jr. , and J. A. Clark, "Boiling Heat Transfer with Cryogenic Fluids at Standard Fractional, and Near-Zero Gravity," ASME Paper No. 63-HT-28, Aug. 1963
- Neu, J. T. , and R. J. Good, "Equilibrium Behavior of Fluids in Containers at Zero Gravity," AIAA Jour. , Vol. 1, No. 4, Apr 1963
- Petrash, D. A. , R. C. Nussle, and E. W. Otto, "Effect of Surface Energy on the Liquid-Vapor Interface Configuration During Weightlessness," NASA TN D-1582, Jan. 1963
- Petrash, D. A. , R. C. Nussle, and E. W. Otto, "Effect of Contact Angle and Tank Geometry on the Configuration of the Liquid-Vapor Interface During Weightlessness," NASA TN D-2075, Oct. 1963
- Petrash, D. A. , and T. M. Nelson, "Effect of Surface Energy on the Liquid-Vapor Interface Configuration During Weightlessness," NASA TN-D-1582, Jan. 1963

Povitskii, A. S. , "World Without Gravity," transl. into English from Russian newspaper, Izvestia, Foreign Technology Div. , Air Force Systems Command, Wright Patterson AFB. , Ohio, Apr. 23, 1963

Povitskii, A. S. , and L. Y. Lyubin, "Emptying and Filling Vessels in Conditions of Weightlessness," Planetary and Space Science, Vol. 11, No. 11, (USSR), 1963

Randolph, B. W. , "Linear Approaches to the Dynamics of Fluids Subjected to Time Varying Body Forces," Final Report, Apr. 1962 - Mar. 1963, Northrop Corp. , Northrop Space Labs. , Hawthorne, Calif. , Apr. 1963

Shuleykin, V. V. , "Second Series of Ground Tests with Weightless Liquids," Joint Publications Research Service, Washington, D. C. , JPRS 23259, 17 Feb. 1964. Transl. into English from Dokl. Akad. Nauk SSSR (Moscow), V. 153, No. 6, 21 Dec. 1963

Steinle, H. F. , "Review of Zero-G Studies Performed at General Dynamics/Astronautics," Proceedings, American Astronautical Society, Physical and Biological Phenomena Under Zero Gravity Conditions, 2nd Symposium, Los Angeles, Calif. , Jan. 18, 1963

Suc, M. , and P. Griffith, "Two Phase Flow in Capillary Tubes," National Magnet Lab. , Mass, Inst. of Tech. , Cambridge, Tech. Rept. No. 8581-24, March 1963

Thompson, L. , I. DePuy, V. Daniels, and W. Walters, "Study of Zero-Gravity Positive Expulsion Techniques," (Interim Report, Apr. 16 1962 - Feb. 15 1963), Bell Aerosystems Co. , Buffalo, N. Y. , NASA Contract NAS 7-149, June 1963

Vander Velde, E. , "An Experiment to Test Low-Level Accelerometers", Air, Space, and Instruments, Draper Anniversary Volume, New York, McGraw-Hill Book Co. , Inc. 1963

Wood, B. , "A Zero Gravity Liquid Behavior Problem", Proceedings, American Astronautical Society, Physical and Biological Phenomena Under Zero Gravity Conditions, 2nd Symposium, Los Angeles, Calif. , Jan. 18, 1963

1964

- Abdalla, K. L., R. A. Faage, and R. G. Jackson, "Zero-Gravity Performance of Ullage Control Surface with Liquid Hydrogen While Subjected to Unsymmetrical Radiant Heating," NASA-TM-X-1001, Aug 1964
- Allingham, W. D., "Investigation of Positive Displacement Cryogenic Fluid Expulsion Techniques," Boeing Co., Seattle, Wash., 1964
- Aydelott, J. C., E. L. Corpas, and R. P. Gruber, "Comparison of Pressure Rise in a Hydrogen Dewar for Homogenous, Normal-Gravity Quiescent, and Zero-Gravity Conditions - Flight 7," NASA-TM-X-1006, Sept. 1964
- Bell Aerosystems Company, "Study of Zero-Gravity Positive Expulsion Techniques Interim Report No. 8230-933007, Contract NASA 7-149, 16 March 1963 - 15 Jan. 1964
- Benton, W., A. Cohen, G. Gustafson, and C. Lankton, "Propellant Storability in Space," Final Rept. 15 May 63-30 June 64, Contract AF04(611)-9078, RPL TDR 64 75, GE Co., Philadelphia, Pa., June 1964
- Blackshear, W., and D. G. Eide, "The Equilibrium Free Surface of a Contained Liquid Under Low Gravity and Centrifugal Forces," NASA TN-D-2471, Oct. 1964
- Chernous'ko, F. L., "Motion of a Solid Body with a Cavity Containing an Ideal Fluid and an Air Bubble," PMM No. 1.28, No. 4, 1964 (Translation)
- Chin, J. H. and L. W. Gallagher, "Effect of Fluid Motion of Free Surface Shape Under Reduced Gravity," AIAA Journ., Dec. 1964
- Chu, W., "Fuel Sloshing in a Spherical Tank Filled to an Arbitrary Depth," AIAA Journ., Vol. 2, No. 11, Nov. 1964
- Clark, J. A., "A Review of Pressurization, Stratification, and Interfacial Phenomena," Cryogenic Engineering Conference, Philadelphia, Pa., Paper A-6, 1964
- Cline, F. B., "Saturn 1-B Liquid Hydrogen Orbital Experiment Definition," NASA-TM-X-53158, 12 Nov. 1964
- Clodfelter, R. G., "Low-Gravity Pool-Boiling Heat Transfer," Rept. APL-TDR-64-19, Air Force Systems Command, Wright-Patterson Air Force Systems Command, Wright-Patterson Air Force Base, Ohio, March 1964
- Concus, P., "Capillary Stability in an Inverted Rectangular Channel for Free Surfaces With Curvature of Changing Sign," AIAA Jour., Vol. 2, No. 12, Dec. 1964

Heath, C. A., and C. P. Costello, "The Effect of the Orientation and Magnitude of Gravity Fields Upon Field Boiling From a Flat Plat," University of Washington College of Engineering, May 1964

Hung, F. C., E. T. Benedikt, T. C. Li, and R. Halliburton, "Propellant Behavior in Zero Gravity (Final Report)," NASA CR-62508, North American Aviation, Inc., Nov. 1964

Hurwitz, M., E. J. Fahimian, and J. M. Reynolds, "Zero Gravity Control of Hydrogen and Cesium by Electrical Phenomena," Final Report, Dynatech Corp., Cambridge, Mass., April 1964

Keshock, E. G., and R. Siegel, "Forces Acting on Bubbles in Nucleate Boiling Under Normal and Reduced Gravity Conditions," NASA TN D-2299, Aug. 1964

See also: "Effects of Reduced Gravity on Nucleate Boiling Bubble Dynamics in Saturated Water," A.I.Ch.E. Journal, V. 10, No. 4, July 1964

Manson, L., "A Technique for the Simulation of Thermal Behavior of Fluids in a Low-Gravity Field," Cryogenic Engineering Conference, Philadelphia, Pa., 1964

Masica, W. J., D. A. Petrash, and E. W. Otto, "Hydrostatic Stability of the Liquid-Vapor Interface in a Gravitational Field," NASA TN D-2267, May 1964

Masica, W. J., J. D. Derdul, and D. A. Petrash, "Hydrostatic Stability of the Liquid-Vapor Interface in a Low-Acceleration Field," NASA TN-D-2444, Aug. 1964

McGrew, J. L., D. W. Murphy, and R. V. Bailey, "Boiling Heat Transfer in a Zero Gravity Environment," SAE-ASME National Air Transport and Space Meeting, April 1964

Moiseev, N. N., A. D. Myshkis, and A. A. Petrov, "On the Problems of Hydrodynamics in Cosmonautics," International Astronautical Federation, 15 International Astronautical Congress, Warsaw, Poland, Sept. 7-12, 1964

Otto, E. W., "Static and Dynamic Behavior of the Liquid-Vapor Interface During Weightlessness," NASA TM X-52016, April 1964

Papell, S. S., "An Instability Effect on Two-Phase Heat Transfer for Subcooled Water Flowing Under Conditions of Zero Gravity," NASA TN D-2259, Nov 1964

Paynter, H. L. , "Time for a Totally Wetting Liquid to Reform from a Gravity-Dominated to a Nulled-Gravity Equilibrium State," AIAA Journ. , Vol. 2, No. 9, Sept. 1964

Petrov, A. A. , "Variational Statement of the Problem of Liquid Motion in a Container of Finite Dimensions," PMM, Vol. 28, No. 4, 1964 (translation)

"Propellant Stability in Space," Tech. Doc. Rept. No. RPL-TDR-64-75 (Final), Rocket Propulsion Laboratory, Research and Technology Division, Air Force Systems Command, Edwards Air Force Base, June 1964

Regetz, J. D. , Conroy, M. J. , and R. G. Jackson, "Weightlessness Experiments With Liquid Hydrogen in Aerobee Sounding Rockets; Nonuniform Radiant Heat Addition - Flight 4," NASA TM X-873, Feb. 1964

Reynolds, W. C. , M. A. Saad, and H. M. Satterlee, "Capillary Hydrostatics and Hydrodynamics at Low-g," Tech. Rept, No. LG-3, Mechanical Engineering Dept. , Stanford University, Stanford, Calif. , Sept. 1, 1964

Rex, J. , and B. A. Knight, "An Experimental Assessment of the Heat Transfer Properties of Propane in a Near-Zero Gravity Environment," U.D.C. No. 547.213 536.23: 531.51, Technical Note No. Space 69, Royal Aircraft Establishment, London, Aug. 1, 1964

Rumiantsev, V. V. , "On the Stability of Motion of a Rigid Body Containing a Fluid Possessing Surface Tension," PMM, Vol. 28, No. 4, 1964

Saad, M. A. , and D. A. Oliver, "Linearized Time Dependent Free Surface Flow in Rectangular and Cylindrical Tanks," Proceedings of the Heat Transfer and Fluid Mechanics Institute, Stanford University Press, 1964

Satterlee, H. M. , and W. C. Reynolds, "The Dynamics of the Free Liquid Surface in Cylindrical Containers Under Strong Capillary and Weak Gravity Conditions," Dept. of Mechanical Engineering, Rept. LG-2, Stanford University, Stanford, Calif. , 1964

Scriven, L. E. , and C. V. Sternling, "On Cellular Convection Driven by Surface Tension Gradients; Effects of Mean Surface Tensions and Viscosity," JFM, Vol. 19, Part 3, 1964

Selyakov, V. , "Peculiarities of Dynamic Weightlessness," Air Force Systems Command, Wright-Patterson AFB, Ohio, Foreign Technology Division, FTD-MT-63-19; AD-602571, 1964

Siegert, E. , D. A. Petrash, and E. W. Otto, "Time Response of Liquid-Vapor Interface After Entering Weightlessness," NASA-LeRC, Cleveland, Ohio, NASA-TN-D-2458, August 1964

Zenkevich, V. B. , "On the Behavior of a Liquid Under Conditions of Weightlessness," High Temperature, Vol. 2, March - April 1964

1965

Abdalla, K. L. , et al, "Pressure Rise Characteristics for a Liquid Hydrogen Dewar for Homogeneous, Normal-Gravity Quiescent and Zero-G Tests NASA TMX-1134, Sept. 1965

Adelberg, M. , "Boiling Condensation and Convection in a Gravitational Field," A.I.Ch.E. National Meeting, Feb 1965

Albers, J. A. , and R. P. Macosko, "Experimental Pressure-Drop Investigation of Nonwetting, Condensing Flow of Mercury Vapor in a Constant-Diameter Tube in 1-G and Zero-Gravity Environments," NASA-TN-D-2838, June 1965

Bhuta, P. G. , and L. R. Koval, "Sloshing of a Liquid in a Draining or Filling Tank Under Variable G Conditions," USAF, Office of Scientific Research, and Lockheed Missiles & Space Co. , Symposium on Fluid Mechanics and Heat Transfer Under Low Gravitational Conditions, Palo Alto, Calif. , June 24, 25, 1965. (Also available from Defense Documentation Center under No. AD 633580)

Bitten, J. F. , "Liquid Oxygen Converter," American Institute of Chemical Engineers, 55th National Meeting, Symposium of Effects of Zero Gravity on Fluid Dynamics and Heat Transfer - Part II, Houston, Texas, Feb. 7-11, 1965

Blackmon, J. B. , "Collection of Liquid Propellants in Zero Gravity with Electric Fields," Spacecraft and Rockets, Vol. 2, May- June 1965

- Boraas, S. , D. Chipchak, C. Schmidt, and L. Vecchies, "Evaluation of Propellant Containment and Venting Devices for Zero Gravity Applications," AFRPL-TR-65-118 (final report), June 1965
- Bowman, T. E. , "Liquid Settling in Large Tanks," USAF, Office of Scientific Research, and Lockheed Missiles & Space Co. , Symposium on Fluid Mechanics and Heat Transfer Under Low Gravitational Conditions, Palo Alto, Calif. , June 25-26, 1965
- Chernous'ko, F. L. , "Self-Similar Motion of Fluid Under the Action of Surface Tension," Prikladnaia Matematika i Mekhanika, Vol. 29, Jan-Feb. 1965
- Concus, P. , G. E. Crane, and L. M. Perko, "Inviscid Fluid Flow in an Accelerating Axisymmetric Container," USAF, Office of Scientific Research, and Lockheed Missiles & Space Co. , Symposium on Fluid Mechanics and Heat Transfer Under Low Gravitational Conditions, Palo Alto, Calif. , June 24, 25, 1965
- Fung, F. C. W. , "Dynamic Response of Liquids in Partially-Filled Containers Suddenly Experiencing Weightlessness," USAF, Office of Scientific Research, and Lockheed Missiles & Space Co. , Symposium on Fluid Mechanics and Heat Transfer Under Low Gravitational Conditions, Palo Alto, Calif. , June 24, 25, 1965
- Garriott, R. and G. A. Burns, "Zero-G Propellant Gauging Utilizing Radio Frequency Techniques in a Spherical Resonator," IEEE Transactions on Aerospace, Vol. AS-3, Feb. 1965
- Gluck, D. F. , and J. P. Gille, "Fluid Mechanics of Zero-G Propellant Transfer in Spacecraft Propulsion Systems," ASME Transactions, Series B, Journal of Eng. for Industry, Sep 1965
- Gluck, D. F. , J. P. Gille, D. J. Simkin, and E. E. Zukoski, "Distortion of the Liquid Surface During Tank Discharge Under Low-g Conditions," Aerospace Volume of A.I.Ch.E Symposium Series, 1965
- Heald, D. A. , and K. D. Holland, "Centaur Hydrogen Tank Venting Experience," AIAA/NASA Flight Testing Conference, Huntsville, Ala. , Feb. 1965

- Hollister, M. P., and H. M. Satterlee, "Low Gravity Liquid Reorientation," USAF Office of Scientific Research and Lockheed Missiles & Space Co., Symposium on Fluid Mechanics and Heat Transfer Under Low Gravitational Conditions, Palo Alto, June 24, 25, 1965
- Hwang, C., "Longitudinal Sloshing of a Liquid in a Flexible Hemispherical Tank," ASME Paper 65-APM-14, Applied Mechanics/Fluids Engineering Conference, Washington, D. C., June 1965
- Kallis, S. A., Jr., "Problems of Liquid Behavior in Weightless Environments," Chrysler Corp., Huntsville, Ala., 30 Apr 1965
- Kosmahl, H. G., "Optimum Design of Magnetic Braking Coils With Special Application to Lewis Drop Tower Experiments", NASA TN-D-3132, Dec. 1965
- Koval, L. R., and P. G. Bhuta, "A Direct Solution for Capillary-Gravity Waves in a Cylindrical Tank," EM-15-1, 9840-6011-RU000, TRW Space Technology Laboratories, One Space Park, Redondo Beach, Calif., March 1965
- Lancet, R. T., P. Abramson and R. P. Forslund, "The Fluid Mechanics of Condensing Mercury in a Low-Gravity Environment," USAF Office of Scientific Research and Lockheed Missiles & Space Co., Symposium on Fluid Mechanics and Heat Transfer Under Low Gravitational Conditions, Palo Alto, June 24, 25, 1965
- Le Boiteux, H., "The Onera Laboratory for Research on Weightlessness," Air et Cosmos, Apr. 17, 1965
- Lomen, D. O., "Digital Analysis of Liquid Propellant Sloshing in Mobile Tanks with Rotational Symmetry," NASA CR-230, May 1965
- Moore, R. W., and L. M. Perko, "Inviscid Fluid Flow in an Accelerating Cylindrical Container," J. Fluid Mech., Vol. 22, Part 2, 1965
- Masica, W. J., and D. A. Petrash, "Motion of Liquid-Vapor Interface in Response to Imposed Acceleration," NASA TN D-3005, Sept. 1965

Masica, W. J. , and J. A. Salzman, "An Experimental Investigation of the Dynamic Behavior of the Liquid-Vapor Interface Under Adverse Low-Gravitational Conditions, " USAF, Office of Scientific Research, and Lockheed Missiles & Space Co. , Symposium on Fluid Mechanics and Heat Transfer Under Low Gravitational Conditions, Palo Alto, Calif. , June 24, 25, 1965

Nussle, R. C. , J. D. Derdul, and D. A. Petrash, "Photographic Study of Propellant Outflow from a Cylindrical Tank During Weightlessness, " NASA-TN-D-2572, Jan. 1965

O'Loughlin, J. R. , "Liquid Film Drain From an Accelerating Tank Wall, " AIAA Journ. Vol. 3, Jan. 1965

Otto, E. W. , "Static and Dynamic Behavior of the Liquid-Vapor Interface During Weightlessness, " Preprint 17a, American Institute of Chemical Engineers, 55th National Meeting, Symposium on Effects of Zero Gravity on Fluid Dynamics and Heat Transfer - Part I, Houston, Texas, Feb. 7-11, 1965

Paynter, H. L. "The Martin Company's Low-G Experimental Facility, " USAF, Office of Scientific Research and Lockheed Missiles & Space Co. , Symposium on Fluid Mechanics and Heat Transfer Under Low Gravitational Conditions, Palo Alto, June 24, 25, 1965

Porter, J. , and D. A. Clayton, "An Introduction to Zero-g Research at the Royal Aircraft Establishment, " RAE TR 65016, Ministry of Aviation, Farnborough Hants, Feb. 1965

Porter, R. N. , and H. B. Stanford, "Positive Expulsion Devices Assure Smooth, Reliable Starts for Spacecraft in Zero-g Space, " SAE Journ., Aug. 1965

Randolph, B. W. , Fluid Dynamics in a Cylindrical Container After Gravitational Body Force Vanishes Abruptly, " ASME Paper 65-AV-43, Aviation and Space Conference, Los Angeles, Calif. , March 1965

Reiter, G. S. , and D. A. Lee, "Zero Gravity Stability Testing of a Liquid-Filled Space Vehicle, " Preprint 17c, American Institute of Chemical Engineers, 55th National Meeting, Symposium of Effects of Zero Gravity on Fluid Dynamics and Heat Transfer- Part I, Houston, Texas, Feb. 7-11, 1965

Satterlee, H. M. , and J. H. Chin, "Meniscus Shape Under Reduced-Gravity Conditions," USAF, Office of Scientific Research, and Lockheed Missiles & Space Co. , Symposium on Fluid Mechanics and Heat Transfer under Low Gravitational Conditions, Palo Alto, Calif. , June 24, 25, 1965

Schwartz, S. H. , and M. Adelberg, "Some Thermal Aspects of a Contained Fluid in a Reduced Gravity Field," USAF, Office of Scientific Research, and Lockheed Missiles & Space Co. , Symposium on Fluid Mechanics and Heat Transfer Under Low Gravitational Conditions, Palo Alto, June 24, 25, 1965

Seebold, J. G. , and W. C. Reynolds, "Shape and Stability of the Liquid-Gas Interface in a Rotating Cylindrical Tank at Low G," USAF, Office of Scientific Research, and Lockheed Missiles & Space Co. , Symposium on Fluid Mechanics and Heat Transfer Under Low Gravitational Conditions, Palo Alto, Calif. , June 24, 25, 1965

Seebold, J. G. , and W. C. Reynolds, "Configuration and Stability of a Rotating Axisymmetric Meniscus at Low G," Technical Report LG-4, Dept. of Mechanical Engineering, Stanford University, 1965

Siegel, R. , and J. R. Howell, "Critical Heat Flux for Saturated Pool Boiling from Horizontal and Vertical Wires in Reduced Gravity," NASA TN-D-3123, Dec. 1965

Siegert, C. E. , D. A. Petrash, and E. W. Otto, "Behavior of Liquid-Vapor Interface of Cryogenic Liquids During Weightlessness," NASA TN-D-2658, Feb. 1965

Smith, R. D. , "Interfacial Stability of Liquid Layers on Elastic Surfaces," USAF, Office of Scientific Research, and Lockheed Missiles & Space Co. , Symposium on Fluid Mechanics and Heat Transfer Under Low Gravitational Conditions, Palo Alto, Calif. , June 24, 25, 1965

Smith, J. M. , R. M. Cima, and Y. Li, "The Application of Hydrophilic and Hydrophobic Surfaces for Phase Separation in a Low-g Environment," USAF, Office of Scientific Research, and Lockheed Missiles & Space Co. , Symposium on Fluid Mechanics and Heat Transfer Under Low Gravitational Conditions, Palo Alto, June 24, 25, 1965

Stephens, D. G. , "Experimental Investigation of Liquid Impace in a Model Propellant Tank," NASA TN D-2913, Oct. 1965

"Subcooled Boiling in a Negligible Gravity Field," NASA CR 63419, May 1965

Swalley, F. E. , G. K. Platt, and L. J. Hastings, "Saturn V Low-Gravity Fluid Mechanics Problems and Their Investigation by Full-Scale Orbital Experiment," USAF, Office of Scientific Research, and Lockheed Missiles & Space Co. , Symposium on Fluid Mechanics and Heat Transfer Under Low Gravitational Conditions, Palo Alto, June 24, 25, 1965

Tong, P. , and Y. C. Fung, "The Effect of Wall Elasticity and Surface Tension on the Forced Oscillations of a Liquid in a Cylindrical Container," USAF, Office of Scientific Research, and Lockheed Missiles & Space Co. , Symposium of Fluid Mechanics and Heat Transfer Under Low Gravitational Conditions, Palo Alto, June 24, 25, 1965.

Welch, N. E. , and E. Funk, "Distribution of Noncondensable Gases in Liquids Under Low-G Conditions," USAF, Office of Scientific Research, and Lockheed Missiles & Space Co. , Symposium on Fluid Mechanics and Heat Transfer Under Low Gravitational Conditions, Palo Alto, June 24, 25, 1965

Yeh, G. C. K. , and R. E. Hutton, "Static Configurations of the Liquid-Vapor Interface in an Axisymmetric Tank in Various Gravitational Fields," EM-15-2, 9840-6010-RU000, TRW Space Technology Laboratories, Inc. , One Space Park, Redondo Beach, Calif. , March 1965

1966

Abramson, H. N. , ed. : The Dynamic Behavior of Liquids in Moving Containers, NASA SP106, 1966

Adelberg, M. , and S. H. Schwartz, "Scaling of Fluids for Studing the Effect of Gravity upon Nucleate Boiling," Proceedings of the Institute of Environmental Sciences Annual Technical Meeting, April 13-15, 1966

Albers, J. A. , and R. P. Macosko, "Condensation Pressure Drop of Nonwetting Mercury in a Uniformly Tapered Tube in 1-g and Zero-Gravity," NASA TN D-3185, Jan. 1966

Bowman, T E , "Dynamics of an Axi-symmetric Liquid Free Surface Following a Stepwise Acceleration Change," Proceedings of the Institute of Environmental Sciences Annual Technical Meeting, Apr 13 - 15, 1966

....., "Response of the Free Surface of a Cylindrically Contained Liquid to Off-Axis Accelerations," Proc. Heat Transfer and Fluid Mechanics Institute, Stanford University Press, Stanford, Calif., Jun 22 - 24, 1966

....., "Cryogenic Liquid Experiments in Orbit, Vol. I: Liquid Settling and Interface Dynamics," NASA CR-651, Dec 1966

Chochran, T. H., and Aydelott, J. C., "Effects of Subcooling and Gravity Level on Boiling in the Discrete Bubble Region," NASA TN D-3449, Sep 1966

Derdul, J. D., Grubb, L. S., and Petrash, D. A., "Experimental Investigation of Liquid Outflow from Cylindrical Tanks During Weightlessness," NASA TN D-3746, Dec 1966

Dodge, F. T., and Garza, L. R., "Experimental and Theoretical Studies of Liquid Sloshing at Simulated Low Gravities," Southwest Research Institute, San Antonio, Texas for NASA Geo. C. Marshall Spaceflight Center, Huntsville, Ala., NASA 8-20290, 20 Oct 1966

Fendell, F. E., "Heat Transfer to Rotating Cryogenic Fuel Tanks in Orbit," Paper No. 66-432, AIAA 4th Aerospace Sciences Meeting, Los Angeles, Calif., Jun 27 - 29, 1966

Geiger, F. W., "Axially Symmetric Static Surfaces for Bond Numbers 10 - 1000 and Contract Angeles of Zero and Five Degrees," Brown Engineering Co., Tech Note, No. 207A, Huntsville, Ala., Oct 1966

Koval, L. R., and P. G. Bhuta, "Slosh Control by Dielectrophoresis," Proceedings of the Institute of Environmental Sciences Annual Technical Meeting, Apr 13 - 15, 1966

....., "Dynamics of a Cryogenic Liquid in an Electric Field," TRW Systems Group, Redondo Beach, Calif., Aug 1966 (to appear in Advances in Cryogenic Engineering, Vol. 12)

Lubin, B. T. and Hruwitz, M., "Vapor Pull-Through at a Tank Drain With and Without Dielectrophoretic Baffling," Presented at Conference on Long-Term Cryo-Propellant Storage in Space, Oct 12 - 13, 1966, Huntsville, Ala.

McGrew, J. L., and Larkin, B. K., "Cryogenic Liquid Experiments in Orbit, Vol. II: Bubble Mechanics Boiling Heat Transfer, and Propellant Tank Venting in a zero-Gravity Environment," NASA CR-652, Dec 1966

Reynolds, J. M. and Hurwitz, M., "EHD Propellant Management Systems for Cryogenic Upper Stages," Presented at Third Annual AIAA Meeting, 29 Nov - 2 Dec 1966

Rose, R. G., "Dynamic Analysis of Longitudinal Instability in Liquid Rocket," Paper No. 66-472, AIAA 4th Aerospace Sciences Meeting, Los Angeles, Calif., Jun 27 - 29, 1966

Rose, R. G., "Dynamic Analysis of Longitudinal Instability in Liquid Rockets," Paper No. 66-472, AIAA 4th Aerospace Sciences Meeting, Los Angeles, Calif., Jun 27 - 29, 1966

1967

Salzman, J. A., and Masica, W. J., "Experimental Investigation of Liquid-Propellant Reorientation," NASA TN D-3789, Jan 1967

Seebold, J. G., Hollister, M. P., and Satterlee, H. M., "Capillary Hydrostatics in Annular Tanks," J. Spacecraft, Vol. 4, No. 1, Jan 1967, pp. 101 - 105